

Research References 2019:

(PEDro score)

Systematic reviews/Guidelines (13):

Bisset L, Hing W, Vicenzino B. (2011). A systematic review of the efficacy of MWM (chapter 3). In: Vicenzino B, Hing W, Rivett D, Hall T. (2011). *Mobilisation with Movement – The art and the science*. Sydney: Elsevier.

Blanpied P, Gross A, Elliot J, Devaney L, Clewley D, Walton D, Sparks C, Robertson E. (2017). Neck Pain: Revision 2017. Clinical Practice Guidelines Linked to the International Classification of Functioning, Disability and Health From the Orthopaedic Section of the American Physical Therapy Association. *Journal of Orthopaedic and Sports Physical Therapy*. 47(7): A1-A83.

El-Sodany A, Alayat M, Zafer A. (2014). Sustained natural apophyseal glides mobilization versus manipulation in the treatment of cervical spine disorders: a randomized controlled trial. *International Journal of Advanced Research* 2(6): 274-280.

Gross A, Kay T, Paquin J, Blanchette S, Lalonde P, Christie T, Dupont G, Graham N, Burnie S, Gelley G, Goldsmith C, Forget M, Hoving J, Bronfort G, Santaguida P, Cervical Overview Group. (2015). Exercises for mechanical neck disorders (Cochrane review). *Cochrane Database of Systematic Reviews* 2015 (1).

Heiser R, O'Brien V, Schwartz D. (2013). The use of joint mobilization to improve clinical outcomes in hand therapy: a systematic review of the literature. *Journal of Hand Therapy*. 26(4): 297-311.

Herd C, Meserve B. (2008). A systematic review of the effectiveness of manipulative therapy in treating lateral epicondylalgia. *Journal of Manual and Manipulative Therapy*. 16(4): 225-237.

Hing W, Bigelow R, Bremner T. (2009). Mulligan's mobilization with movement: A systematic review. *The Journal of Manual & Manipulative Therapy*. 17(2): E39-66.

Ho C, Sole G, Munn J. (2009). The effectiveness of manual therapy in the management of musculoskeletal disorders of the shoulder: A systematic review. *Manual Therapy*. 14(5): 463-474.

Hoch M, McKeon P. (2010). The effectiveness of mobilization with movement at improving dorsiflexion after ankle sprain. *Journal of Sports Rehabilitation*. 19(2): 226-232.

Noten S, Meeus M, Stassijns G, van Glabbeek F, Verborgt O, Struyf F. (2015). The efficacy of different types of mobilization techniques in patients with primary adhesive capsulitis of the shoulder: a systematic review. *Archives of Physical Medicine and Rehabilitation*. *Archives of Physical Medicine and Rehabilitation*. 97(5): 815-825.

Stathopoulos N, Dimitriadis Z, Koumantakis G. (2018). Effectiveness of Mulligan's Mobilization with Movement techniques on pain and disability of peripheral joints: A systematic review with meta-analysis between 2008–2017. *Physiotherapy*, <https://doi.org/10.1016/j.physio.2018.10.001>

Vicenzino B, Paungmali A, Teys P. (2007). Mulligan's mobilization-with-movement, positional faults and pain relief: Current concepts from a critical review of literature. *Manual Therapy*. 12(2): 98–108.

Westad K, Tjoestolvsen F, Hebron C. (2019). The effectiveness of Mulligan's mobilization with movement (MWM) on peripheral joints in musculoskeletal (MSK) conditions: A systematic review. *Musculoskeletal Science and Practice*. 39(1): 157-163.

Randomized controlled trials (76):

Amro A, Diener I, Bdaif W, Hamed A, Shalabi A, Ilyan D. (2010). The effects of Mulligan mobilisation with movement and taping techniques on pain, grip strength, and function in patients with lateral epicondylitis. *Hong Kong Physiotherapy Journal*. 28 (1): 19–23. (2/10)

An C, Jo S. (2017). Effects of talocrural mobilization with movement on ankle strength, mobility, and weight-bearing ability in hemiplegic patients with chronic stroke: a randomized controlled trial. *Journal of Stroke & Cerebrovascular Diseases*. 26(1): 169-176. (6/10)

An C, Won J. (2016). Effects of ankle joint mobilization with Movement and weight-bearing exercise on knee strength, ankle range of motion, and gait velocity in patients with stroke: a pilot study. *Journal of Physical Therapy Science*. 28(2): 689-694. (4/10)

Anap D, Shende M, Khatri S. (2012). Mobilization with Movement technique as an adjunct to conventional physiotherapy in treatment of chronic lateral epicondylitis - A comparative study. *Journal of Novel Physiotherapy*. 2(7).

Beselga C, Neto F, Albuquerque-Sendin F, Hall T, Oliveira-Campelo N. (2016). Immediate effects of hip mobilization with movement in patients with hip osteoarthritis: A randomised controlled trial. *Manual Therapy*. 22: 80-85. (8/10)

Bhardwaj P, Dhawan A. (2011). The relative efficacy of mobilization with movement versus Cyriax physiotherapy in the treatment of lateral epicondylitis. *Indian Journal of Physiotherapy and Occupational Therapy*. 5 (1): 142–146. (4/10)

Bhuvanewari D, Subbiah K. (2018). Clinical effectiveness of Mulligan's transverse mobilization with movement (MWM) in improving pain and range of motion in subjects with cervical facet dysfunction. *International Journal of Pharma and Bio Sciences*. 9(1): B163-B170 (6/10)

Bisset L, Beller E, Jull G, Brooks P, Darnell R, Vicenzino B. (2006). Mobilisation with movement and exercise, corticosteroid injection, or wait and see for tennis elbow: randomised trial. *British Medical Journal*. 333(4): 939-945. (8/10)

Buyukturan O, Buyukturan B, Sas S, Kararti C, Ceylan I. (2018). The Effect of Mulligan Mobilization Technique in Older Adults with Neck Pain: A Randomized Controlled, Double-Blind Study. *Pain Research and Management*. <https://doi.org/10.1155/2018/2856375> (7/10)

Chou E, Kim K, Baker A, Hertel J, Hart J. (2013). Lower leg neuromuscular changes following fibular reposition taping in individuals with chronic ankle instability. *Manual Therapy*. 18(4): 316-320. (5/10)

Collins N, Teys P, Vicenzino B. (2004). The initial effects of a Mulligan's mobilisation with movement technique on dorsiflexion and pain in subacute ankle sprains. *Manual Therapy*. 9(2): 77-82. (5/10)

Coombes B, Bisset L, Brooks P, Khan A, Vicenzino B. (2013). Effect of corticosteroid injection, physiotherapy, or both on clinical outcomes in patients with unilateral lateral epicondylalgia: A randomized controlled trial. *The Journal of the American Medical Association*. 2013; 309 (5): 461–469. (8/10)

Copurgensli C, Gur G, Tunay V. (2017). A comparison of the effects of Mulligan's mobilization and Kinesio taping on pain, range of motion, muscle strength, and neck disability in patients with cervical spondylosis: a randomized controlled study. *Journal of Back and Musculoskeletal Rehabilitation*. 30(1): 51-62. (7/10)

- Cruz-Díaz D, Vega R, Osuna-Pérez M, Hita-Contreras F, Martínez-Amat A. (2015). Effects of joint mobilization on chronic ankle instability: A randomized controlled trial. *Disability and Rehabilitation*. 37(7): 601-610. (8/10)
- Delahunt E, Cusack K, Wilson L, Doherty C. (2013). Joint mobilization acutely improves landing kinematics in chronic ankle instability. *Medicine and Science in Sports and Exercise*. 45(3): 514-519.
- Delgado-Gil J, Prado-Robles E, Rodrigues-de-Souza D, Cleland J, Fernández-de-las-Peñas C, Alburquerque-Sendín F. (2015). Effects of mobilization with movement on pain and range of motion in patients with unilateral shoulder impingement syndrome: A randomized controlled trial. *Journal of Manipulative and Physiological Therapeutics*. 38: 245-252. (8/10)
- Demirci S, Kinikli G, Callaghan M, Tunay V. (2017). Comparison of short-term effects of mobilization with movement and kinesiotopepingon pain, function and balance in patellofemoral pain. *Acta Orthopaedica et Traumatologica Turcica*. 51: 442-447. (5/10)
- Djordjevic O, Vukicevic D, Katunac L, Jovic S. (2012). Mobilization with movement and kinesiotopeping compared with a supervised exercise program for painful shoulder: results of a clinical trial. *Journal of Manipulative and Physiological Therapeutics*. 35(6): 454-463. (6/10)
- Doner G, Guven Z, Atalay A, Celiker R. (2013). Evaluation of Mulligan's technique for adhesive capsulitis of the shoulder. *Journal of Rehabilitation Medicine*. 45(1): 87-91. (5/10)
- Duymaz T, Yagci N. (2018). Effectiveness of the Mulligan mobilization technique in mechanical neck pain. *Journal of Clinical and Analytical Medicine*. 9(4): 304-309 (5/10)
- Elrazik R, Samir S, Zaki L, Koura G. (2016). Mobilisation with movement versus postero-anterior mobilisation in chronic non specific low back pain. *International Journal of PharmTech Research*. 9(6): 9-16. (4/10)
- Ganesh S, Mohanty P, Pattnaik M, Mishra C. (2015). Effectiveness of mobilization therapy and exercises in mechanical neck pain. *Physiotherapy Theory and Practice*. 31(2): 99-106. (6/10)
- Guimaraes J, Salvini T, Siqueira A, Ribeiro I, Camargo P, Alburquerque-Sendin F. (2016). Immediate effects of mobilization with movement versus sham technique on range of motion, strength, and function in patients with shoulder impingement syndrome: randomized clinical trial. *Journal of Manipulative and Physiological Therapeutics*. 39(9): 605-615. (7/10)
- Hall T, Chan H, Christensen L, Odenthal B, Wells C, Robinson K. (2007). Efficacy of a C1-C2 self sustained natural apophyseal glide (SNAG) in the management of cervicogenic headache. *Journal of Orthopaedic and Sports Physical Therapy*. 37(3): 100-107. (8/10)
- Hall T, Hardt S, Schäfer A, Wallin L. (2006a). Mulligan bent leg raise technique – a preliminary randomised trial of immediate effects after a single intervention. *Manual Therapy*. 11(2): 130-135. (6/10)
- Hidalgo B, Pitance L, Hall T, Detrembleur C, Nielens H. (2015). Short-term effects of Mulligan mobilization with movement on pain, disability, and kinematic spinal movements in patients with nonspecific low back pain: a randomized placebo-controlled trial. *Journal of Manipulative and Physiological Therapeutics*. 38(6): 365-374. (8/10)
- Hopper D, Samsson K, Hulenik T, Ng C, Hall T, Robinson K. (2009). The influence of Mulligan ankle taping during balance performance in subjects with unilateral chronic ankle instability. *Physical Therapy in Sport*. 10(4): 125-130. (5/10)

- Hudson R, Richmond A, Sanchez B, Stevenson V, Baker RT, May J, Nasypany A, Reordan D. (2018). Innovative treatment of clinically diagnosed meniscal tears: a randomized sham-controlled trial of the Mulligan concept 'squeeze' technique, *Journal of Manual & Manipulative Therapy*. 26(5): 254-263.
- Hussien H, Abdel-Raouf N, Kattabei O, Ahmed H. (2017). Effect of Mulligan Concept lumbar SNAG on chronic nonspecific low back pain. *Journal of Chiropractic Medicine*. 16(2): 94-102. (4/10)
- Hyun K, Cho H, Lim C. (2015). The effect of knee joint Mulligan taping on balance and gait in subacute stroke patients. *Journal of Physical Therapy Science*. 27(11): 3545-3547. (5/10)
- Jeon I, Kwon O, Yi C, Cynn H, Hwang U. (2015). Ankle-dorsiflexion range of motion after ankle self-stretching using a strap. *Journal of Athletic Training*. 50(12): 1226-1232. (6/10)
- Jeyakumar S, Alagesan J, Ramachandran A. (2017). A comparative study on the efficacy of Maitland's mobilisation and Mulligan's mobilisation in sub-acute osteoarthritis knee. *Biomedicine*. 37(4): 518-520.
- Kachingwe A, Phillips B, Sletten E, Plunkett S. (2008). Comparison of manual therapy techniques with therapeutic exercise in the treatment of shoulder impingement: A randomized controlled pilot clinical trial. *Journal of Manual and Manipulative Therapy*. 16(4): 238-247. (5/10)
- Kim S, Lee B. (2016). Effect of Mulligan's mobilization with movement technique on gait function in stroke Patients. *Journal of Physiotherapy Science*. 28(8): 2326-2329. (6/10)
- Kim S, Kim N, Kim L. (2015). Effects of cervical sustained natural apophyseal glide on forward head posture and respiratory function. *Journal of Physical Therapy Science*. 27(6): 1851-1854. (5/10)
- Kim L, Choi H, Moon D. (2012). Improvement of pain and functional activities in patients with lateral epicondylitis of the elbow by mobilization with movement: a randomized, placebo-controlled pilot study. *Journal of Physical Therapy Science*. 24(9): 787-790. (4/10)
- Konstantinou K, Foster N, Rushton A, Baxter D, Wright C, Math C, Breen A. (2007). The immediate effects of flexion mobilisations with movement manual techniques (MWMs) on range of movement and pain in low back pain patients. *Journal of Manipulative and Physiological Therapeutics*. 30(3): 178-185. (5/10)
- Kochar M, Dogra A. (2002). Effectiveness of a specific physiotherapy regimen on patients with tennis elbow. *Physiotherapy*. 88(6): 333-341. (4/10)
- Kumar D, Sandhu J, Broota A. (2011). Efficacy of Mulligan concept (NAGs) on pain at available end range in cervical spine. *Indian Journal of Physiotherapy and Occupational Therapy*. 5(1): 154-158. (2/10)
- Kumar D. (2011). Efficacy of Mulligan concept (NAGs) on activity of daily living in cervical spine pain: A randomized controlled trial. *Physiotherapy the Journal of the Indian Association of Physiotherapists*. 9(1): 4-9.
- Lirio R, Torres L, Castilla M, Prieto M, Pacheco da C, Velasco M, Bodes P. (2015). Mobilization with movement for shoulder dysfunction in older adults: a pilot trial. *Journal of Chiropractic Medicine*. 14(4): 249-258. (7/10)
- Lopez-Lopez A, Alonso Perez A, González Gutierrez G, La Touche R, Lerma Lara S, Izquierdo H, Fernández-Carnero J. (2015). Mobilization versus manipulations versus sustain apophyseal natural glide techniques and interaction with psychological factors for patients with chronic neck pain: randomizes controlled trial. *European Journal of Physical and Rehabilitation Medicine*. 51: 121-132. (8/10)
- Marrón-Gómez D, Rodríguez-Fernández Á, Martín-Urrialde J. (2015). The effect of two mobilization techniques on dorsiflexion in people with chronic ankle instability. *Physical Therapy in Sport*. 16(1): 10-15. (6/10)

- Martínez-Cervera F, Olteanu T, Gil-Martínez A, Díaz-Pulido B, Ferrer-Peña Raúl. (2017). Influence of expectations plus mobilization with movement in patients with lateral epicondylgia: a pilot randomized controlled trial. *Journal of Exercise Rehabilitation*. 13(1): 101-109.
- Mehta S, Basu S, Pelekar T, Dave N. (2017). Effect of Kinesio taping versus Mulligan taping in treatment of heel pain. *International Journal of Pharma and Bio Science*. 8(3): B377-B386. (4/10)
- Moulson A, Watson T. (2006). A preliminary investigation into the relationship between cervical SNAGs and sympathetic nervous system activity in the upper limbs of an asymptomatic population. *Manual Therapy*. 11(3): 214-224.
- Moutzouri M, Perry J, Billis E. (2012). Investigation of the effects of a centrally applied lumbar sustained natural apophyseal glide mobilisation on lower limb sympathetic nervous system activity in asymptomatic subjects. *Journal of Manipulative and Physiological Therapeutics*. 35(4): 286-294.
- Mutlu E, Ercin E, Ozdincler A, Ones N. (2018). A comparison of two manual physical therapy approaches and electrotherapy modalities for patients with knee osteoarthritis: A randomized three arm clinical trial, *Physiotherapy Theory and Practice*. 34(8): 600-612. (7/10)
- Neelapala Y, Reddy Y, Danait R. (2016). Effect of Mulligan's posterolateral glide on shoulder rotator strength, scapular upward rotation in shoulder pain subjects: A randomized controlled trial. *Journal of Musculoskeletal Research*. 19(3): 1650014. (8/10)
- Paungmali A, O'Leary S, Souvlis T, Vicenzino B. (2004). Naloxone fails to antagonize initial hypoalgesic effect of a manual therapy treatment for lateral epicondylgia. *Journal of Manipulative and Physiological Therapeutics*. 27(3): 180-185. (7/10)
- Paungmali A, O'Leary S, Souvlis T, Vicenzino B. (2003a). Hypoalgesic and sympathoexcitatory effects of Mobilization with Movement for lateral epicondylgia. *Physical Therapy*. 83(4): 374-383. (8/10)
- Pérez H, Perez J, Martinez A, La Touche R, Lerma-Lara S, Gonzalez N, Perez H, Bishop M, Fernández-Carnero J. (2014). Is one better than another?: A randomized clinical trial of manual therapy for patients with chronic neck pain. *Manual Therapy*. 19 (3): 215–221. (9/10)
- Rao R, Balthillaya G, Prabhu A, Kamath A. (2017). Immediate effects of Maitland mobilization versus Mulligan Mobilization with Movement in Osteoarthritis knee- A Randomized Crossover trial, *Journal of Bodywork & Movement Therapies*. 22(3): 572-579.
- Reid A, Birmingham T, Alcock G. (2007). Efficacy of mobilization with movement for patients with limited dorsiflexion after ankle sprain: A crossover trial. *Physiotherapy Canada*. 59(3): 166-172. (6/10)
- Reid S, Callister R, Snodgrass S, Rivett D. (2015). Manual therapy for cervicogenic dizziness: Long-term outcomes of a randomised trial. *Manual Therapy*. 20(1): 148-156. (8/10)
- Reid S, Callister R, Katekar M, Rivett D. (2014). Effects of cervical spine manual therapy on range of motion, head repositioning, and balance in participants with cervicogenic dizziness: A randomized controlled trial. *Arch Phys Med Rehabil*. 95(9): 1603-1612. (9/10)
- Reid S, Rivett D, Katekar M, Callister R. (2014). Comparison of Mulligan sustained natural apophyseal glides and Maitland mobilizations for treatment of cervicogenic dizziness: A randomized controlled trial. *Physical Therapy*. 94(4): 466-476. (7/10)
- Reid S, Rivett D, Katekar M, Callister R. (2008). Sustained natural apophyseal glides (SNAGs) are an effective treatment for cervicogenic dizziness. *Manual Therapy*. 13(4): 357-366. (9/10)
- Rezkallah S, Abdullah G. (2018). Comparison between sustained natural apophyseal glides (SNAG's) and myofascial release techniques combined with exercises in non specific neck pain. *Physiotherapy Practice and Research*. 39(2): 135-145 (7/10)

- Rinkle H, Santosh M, Ganesh B. (2010). Comparison of McConnell patellar taping versus mobilisation with movement in chronic knee osteoarthritis: a randomized clinical trial. *Indian Journal of Physiotherapy and Occupational Therapy*. 4(4): 132-136. (4/10)
- Sai K, Kumar J. (2015). Effects of Mulligan's mobilisation with movement on pain and range of motion in diabetic frozen shoulder: a randomized clinical trial. *Indian Journal of Physiotherapy and Occupational Therapy*. 9(4): 187-193 (7/10)
- Satpute K, Hall T, Bisen R, Lokhande P. (2019). The effect of spinal mobilization with leg movement in patients with lumbar radiculopathy – A double blind randomized controlled trial. *Archives of Physical Medicine and Rehabilitation*. <https://doi.org/10.1016/j.apmr.2018.11.004>
- Satpute K, Bhandari P, Hall T. (2015). Efficacy of hand behind back mobilization with movement for acute shoulder pain and movement impairment: A randomized and controlled trial. *Journal of Manipulative and Physiological Therapeutics*. 38(5): 324-334. (8/10)
- Shin E, Lee B. (2014). The effect of sustained natural apophyseal glides on headache, duration and cervical function in women with cervicogenic headache. *Journal of Exercise Rehabilitation*. 10(2): 131-135. (5/10)
- Shrivastava A, Shyam A, Sabnis S, Sancheti P. (2011). Randomised controlled study of Mulligan's versus Maitland's mobilization technique in adhesive capsulitis of shoulder joint. *Indian Journal of Physiotherapy and Occupational Therapy*. 5(4): 12-15. (4/10)
- Son J, Park G, Park H. (2014). The effect of sacroiliac joint mobilization on pelvic deformation and the static balance ability of female university students with SI joint dysfunction. *Journal of Physical Therapy Science*. 26(6): 845-848. (3/10)
- Teys P, Bisset L, Collins N, Coombes B, Vicenzino B. (2013). One-week time course of the effects of Mulligan's Mobilisation with Movement and taping in painful shoulders. *Manual Therapy*. 18(5): 372-377. (6/10)
- Teys P, Bisset L, Vicenzino B. (2008). The initial effects of a Mulligan's mobilization with movement technique on range of movement and pressure pain threshold in pain-limited shoulders. *Manual Therapy*. 13(1): 37-42. (6/10)
- Vicenzino B, Branjerdporn M, Teys P, Jordan K. (2006). Initial changes in posterior talar glide and dorsiflexion of the ankle after mobilization with movement in individuals with recurrent ankle sprain. *Journal of Orthopaedic and Sports Physical Therapy*. 36(7): 464-471. (7/10)
- Vicenzino B, Paungmali A, Buratowski S, Wright A. (2001a). Specific manipulative therapy treatment for chronic lateral epicondylalgia produces uniquely characteristic hypoalgesia. *Manual Therapy*. 6(4): 205-212. (5/10)
- Walsh R, Kinsella S. (2016). The effects of caudal mobilisation with movement (MWM) and caudal self-mobilisation with movement (SMWM) in relation to restricted internal rotation in the hip: a randomised control pilot study. *Manual Therapy*. 22: 9-15. (5/10)
- Waqar S, Shakil-ur-Rehman S, Ahmad S. (2016). McKenzie treatment versus Mulligan sustained natural apophyseal glides for chronic mechanical low back pain. *Pakistan Journal of Medical Sciences*. 32(2): 476-479 (4/10)
- Wang Y, Wang C, Chen H, Ye X. (2018). Shoulder joint pain of rotator cuff injury treated with electroacupuncture and Mulligan's mobilization: a randomized controlled trial. *Zhongguo Zhen Jiu [Chinese Acupuncture & Moxibustion]*. 12; 38(1): 17-21
- Yang J, Chang C, Chen S, Wang S, Lin J. (2007). Mobilization Techniques in subjects with frozen shoulder syndrome: randomized multiple-treatment trial. *Physical Therapy*. 87(10): 1307-1315. (7/10)

Yildirim M, Ozyurek S, Tosun O, Uzer S, Gelecek N. (2016). Comparison of effects of static, proprioceptive neuromuscular facilitation and Mulligan stretching on hip flexion range of motion: a randomized controlled trial. *Biology of Sport*. 33(1): 89-94. (5/10)

Zemadanis K, Sykaras E, Athanasopoulos S, Mandalitis D. (2015). Mobilization-with-movement prior to exercise provides early pain and functionality improvements in patients with patellofemoral pain syndrome. *International Musculoskeletal Medicine*. 37(3): 101-107.

Experimental/Clinical trials (36):

Abbott J, Patla C, Jensen R. (2001a). The initial effects of an elbow mobilization with movement technique on grip strength in subjects with lateral epicondylalgia. *Manual Therapy*. 6(3): 163-169.

Abbott J. (2001b). Mobilization with movement applied to the elbow affects shoulder range of movement in subjects with lateral epicondylalgia. *Manual Therapy*. 6(3): 170-177.

Andrews D, Odland-Wolf K, May J, Baker R, Nasypany A, Dinkins E. (2018) Immediate and short-term effects of mulligan concept positional sustained natural apophyseal glides on an athletic young-adult population classified with mechanical neck pain: an exploratory investigation. *Journal of Manual & manipulative Therapy*. 26(4): 203-211.

Delahunt E, McGrath A, Doran N, Coughlan GF. (2010). Effect of taping on actual and perceived dynamic postural stability in persons with chronic ankle instability. *Arch Phys Med Rehabil*. 91:1383-1389.

Gilbreath J, Gaven S, Van Lunen B, Hoch M. (2014). The effects of Mobilization with Movement on dorsiflexion range of motion, dynamic balance, and self-reported function in individuals with chronic ankle instability. *Manual Therapy*. 19(2): 152–157.

Gautam R, Dhamija J, Puri A. (2014). Comparison of Maitland and Mulligan Mobilization in improving neck pain, ROM and disability. *International Journal of Physiotherapy Research*. 2(3): 482-487.

Hall T, Briffa K, Hopper D, Robinson K. (2010e). The relationship between cervicogenic headache and impairment determined by the flexion-rotation test. *Journal of Manipulative and Physiological Therapeutics*. 33(9): 666-671.

Hall T, Briffa K, Hopper D, Robinson K. (2010d). Reliability of manual examination and frequency of symptomatic cervical motion segment dysfunction in cervicogenic headache. *Manual Therapy*. 15(6): 542-546.

Hall T, Briffa K, Hopper D, Robinson K. (2010c). Comparative analysis and diagnostic accuracy of the cervical flexion-rotation test. *The Journal of Headache and Pain*. 11(5): 391-397.

Hall T, Briffa K, Hopper D, Robinson K. (2010b). Long term stability and minimal detectable change of the cervical flexion-rotation test. *Journal of Orthopaedic and Sports Physical Therapy*. 40(4): 225-229.

Hall T, Briffa K, Hopper D. (2010a). The influence of lower cervical joint pain on range of motion and interpretation of the FRT. *Journal of Manual and Manipulative Therapy*. 18(3): 126-131.

Hall T, Robinson K, Fujinawa O, Akasaka K, Pyne E. (2008a). Inter-tester reliability and diagnostic validity of the cervical flexion-rotation test. *Journal of Manipulative and Physiological Therapeutics*. 31(4): 293-300.

Hall T, Beyerlein C, Hansson U, Lim H, Odermark M, Sainsbury D. (2006b). Mulligan's traction straight leg raise for low back pain: A preliminary study investigating range of motion. *Journal of Manual and Manipulative Therapy*. 14(2): 95-100.

Hall T, Robinson K. (2004). The flexion-rotation test and active cervical mobility – A comparative measurement study in cervicogenic headache. *Manual Therapy* 9(4): 197-204.

Hall T, Cacho A, McNee C, Riches J, Walsh J. (2001). Effects of the Mulligan traction straight leg raise technique on range of movement. *Journal of Manual and Manipulative Therapy*. 9(3): 128-133.

Ho K, Hsu A. (2009). Displacement of the head of humerus while performing "mobilization with movements" in glenohumeral joint: a cadaver study. *Manual Therapy*. 14(2): 160-166.

Hendry D, Campbell A, Ng L, Grisbrook L, Hopper D. (2015). Effect of Mulligan's and Kinesio knee taping on adolescent ballet dancers knee and hip biomechanics during landing. *Scandinavian Journal of Medicine and Science in Sports*. 25(6): 888-896.

Howe A, Campbell A, Ng L, Hall T, Hopper D (2015). Effects of two different knee tape procedures on lower-limb kinematics and kinetics in recreational runners. *Scandinavian Journal of Medicine and Science in Sports*. 25(4): 517-524.

Kage V, Ratnam R. (2014). Immediate effect of active release technique versus Mulligan bent leg raise in subjects with hamstring tightness: a randomized clinical trial. *International Journal of Physiotherapy and Research*. 2(1): 301-304. (5/10)

Kang M, Kim J, Choung S, Park K, Kwon O, Oh J. (2014). Immediate effect of walking with talus stabilizing taping on ankle kinematics in subjects with limited ankle dorsiflexion. *Physical Therapy in Sport*. 15(3): 156-161.

McLean S, Naish R, Reed L, Urry S, Vicenzino B. (2002). A pilot study of the manual force levels required to produce manipulation induced hypoalgesia. *Clinical Biomechanics*. 17(4): 304-308.

Moiler K, Hall T, Robinson K. (2006). The role of fibular tape in the prevention of ankle injury in basketball: A pilot study. *Journal of Orthopaedic and Sports Physical Therapy*. 36(9): 661-668.

Moutzouri M, Billis E, Strimpakos N, Kottika P, Oldham J. (2008). The effects of the Mulligan sustained natural apophyseal glide (SNAG) mobilisation in the lumbar flexion range of asymptomatic subjects as measured by the Zebris CMS20 3-D motion analysis system. *BMC Musculoskeletal Disorders*. 9: 131.

Nam C, Park S, Yong M, Kim Y. (2013). Effects of the MWM Technique Accompanied by Trunk Stabilization Exercises on Pain and Physical Dysfunctions Caused by Degenerative Osteoarthritis. *Journal of Physical Therapy Science*. 25(9): 1137–1140.

Ogince M, Hall T, Robinson K, Blackmore A. (2007). The diagnostic validity of the cervical flexion-rotation test in C1/2-related cervicogenic headache. *Manual Therapy*. 12(3): 256-262.

Paungmali A, Vicenzino B, Smith M. (2003b). Hypoalgesia induced by elbow manipulation in lateral epicondylalgia does not exhibit tolerance. *The Journal of Pain*. 4(8): 448-454.

Samir S, Zaky L, Soliman M. (2016). Mulligan versus Maitland mobilizations in patients with chronic low back dysfunction. *International Journal of PharmTech Research*. 9(6): 92-99. (4/10)

Satpute K, Nalband S, Hall T. (2018). The C0-C2 axial rotation test: normal values, intra- and inter-rater reliability and correlation with the flexion rotation test in normal subjects, *Journal of Manual & Manipulative Therapy*, DOI: 10.1080/10669817.2018.1533195

Slater H, Arendt-Nielsen L, Wright A, Graven-Nielsen T. (2006). Effects of a Manual Therapy technique in experimental lateral epicondylalgia. *Manual Therapy*. 11(2): 107-117.

Someeh M, Norasteh A, Daneshmandi H, Asadi A. (2015). Immediate effects of Mulligan's fibular repositioning taping on postural control in athletes with and without chronic ankle instability. *Physical Therapy in Sports*. 16(2): 135-139.

Smith K, Hall T, Robinson K. (2008). The influence of age, gender, lifestyle factors and sub-clinical neck pain on the cervical flexion-rotation test and cervical range of motion. *Manual Therapy*. 13(6): 552-559.

Tambekar N, Sabnis S, Phadke A, Bedekar N. (2016). Effect of Butler's neural tissue mobilization and Mulligan's bent leg raise on pain and straight leg raise in patients of low back ache. *Journal of Bodywork and Movement Therapies*. 20(2): 280-285. (5/10)

Takasaki H, Hall T, Oshiro S, Kaneko S, Ikemoto Y, Jull G. (2011). Normal kinematics of the upper cervical spine during the flexion-rotation test – In vivo measurements using magnetic resonance imaging. *Manual Therapy*. 16(2): 167-171.

Takasaki H, Hall T, Kaneko S, Iizawa T, Ikemoto Y. (2009). Cervical segmental motion induced by shoulder abduction assessed by magnetic resonance imaging. *Spine*. 34(3): E122-E126.

Tsirakis V, Perry J. (2015). The effects of a modified spinal mobilisation with leg movement (SMWLM) technique on sympathetic outflow to the lower limbs. *Manual Therapy*. 20(1): 103-108.

Vicenzino B, Collins D, Benson H, Wright A. (1998). An investigation of the interrelationship between manipulative therapy-induced hypoalgesia and sympathoexcitation. *Journal of Manipulative and Physiological Therapeutics*. 21(7): 448-453.

Single-case studies/reports (21):

Aiken D. L. and D. Vaughn D, Vaughn L. (2013). The use of functional and traditional mobilization interventions in a patient with chronic thoracic pain: a case report. *Journal of Manual & Manipulative Therapy*. 21(3): 134-141.

Anandkumar S, Miller J, Werstine R, Young S (2018). Effect of mobilization with movement on lateral knee pain due to proximal tibiofibular joint hypomobility. *Physiotherapy Theory and Practice*. 34(10): 813-820.

Anandkumar S. (2015). The effect of sustained natural apophyseal glide (SNAG) combined with neurodynamics in the management of a patient with cervical radiculopathy: a case report. *Physiotherapy Theory and Practice*. 31(2): 140-145.

Abbott J. (1998). The effect of elbow mobilisation with movement on shoulder impairment and functional limitation: A case report. *Journal of Manual and Manipulative Therapy*. 6(4): 208.

Backstrom K. (2002). Mobilization with movement as an adjunct intervention in a patient with complicated De Quervain's tenosynovitis: A case report. *Journal of Orthopaedic and Sports Physical Therapy*. 32(3): 86-94.

Carpenter G. (2008). The effects of hip mobilisation and mobilisation with movement in the physical therapy management of a person with lateral hip pain: A case report. *Journal of Manual and Manipulative Therapy*. 16(3): 170.

Carson P. (1999). The rehabilitation of a competitive swimmer with an asymmetrical breaststroke. *Manual Therapy*. 4(2): 100-106.

DeSantis L, Hasson S. (2006). Use of mobilization with movement in the treatment of a patient with subacromial impingement: a case report. *Journal of Manual and Manipulative Therapy*. 14(2): 77-87.

Eusea J, Nasypany A, Seegmiller J, Baker R. (2015). Utilizing Mulligan Sustained Natural Apophyseal Glides within a clinical prediction rule for treatment of Low Back pain in a secondary school football player. *International Journal of Athletic Therapy & Training*. 20(1): 18-24.

Folk B. (2001). Traumatic thumb injury management using mobilization with movement. *Manual Therapy*. 6(3): 178-182.

Gebhardt T, Whitman J, Smith M. (2006). Mobilization with movement as part of a comprehensive physical therapy program for a patient with shoulder impingement: A case report. *Journal of Manual and Manipulative Therapy*. 14(3): 176.

- Horton S. (2002). Acute locked thoracic spine: treatment with a modified SNAG. *Manual Therapy*. 7(2): 103-107.
- Hsieh C. (2002). Mulligan's mobilization with movement for the thumb: a single case report using magnetic resonance imaging to evaluate the positional fault hypothesis. *Manual Therapy*. 7(1): 44-49.
- Lincoln J. (2000). Clinical instability of the upper cervical spine. *Manual Therapy*. 5(1): 41-46.
- Malo-Urriés M, Hidalgo-García C, Bueno-Gracia E, Estébanez-de-Miguel E, Lucha-López O, Tricás-Moreno JM. (2014). Clinical and ultrasonographic evidence of a proximal positional fault of the radius. A case report. 2014; 19(3): 264–269.
- Mau H, Baker R. (2014). A modified Mobilization-with-Movement to treat a lateral ankle sprain. *The International Journal of Sports Physical Therapy*. 9(4): 540-548.
- O'Brien T, Vicenzino B. (1998). A study of the effects of Mulligan's mobilization with movement treatment of lateral ankle pain using a case study design. *Manual Therapy*. 3(2): 78-84.
- Rhinehart A. (2016). Use of the Mulligan Concept and Positional Release Therapy in the treatment of a moderate grade acromioclavicular injury. *Athletic Training & Sports Health Care*. 8(2): 82-88.
- Rhinehart A. (2015): Effective treatment of an apparent meniscal injury using the Mulligan Concept. *Journal of Sports Medicine and allied health sciences: Official Journal of the Ohio Athletic Trainers Association*. 1(2): 1-5.
- Vicenzino B, Wright A. (1995). Effects of a novel manipulative physiotherapy technique on tennis elbow: a single case study. *Manual Therapy*. 1(1): 30-35.
- Woodman R, Berghorn K, Underhill T, Wolanin M. (2013). Utilization of mobilization with movement for an apparent sprain of the posterior talofibular ligament: A case report. *Manual Therapy*. 18(1): e1-e7.

Case series (14):

- Dinkins E, Stevens-Lapsley J. (2013). Management of symptoms of Restless Legs Syndrome with use of a traction straight leg raise: A preliminary case series. *Manual Therapy*. 18(4): 299-302.
- Exelby L. (2001). The locked lumbar facet joint: intervention using mobilizations with movement. *Manual Therapy*. 6(2): 116-121.
- González-Iglesias J, Cleland J, Neto F, Hall T, Fernández-de-las-Peñas C. (2013). Mobilisation with movement, thoracic spine manipulation, and dry needling for the management of temporomandibular disorder: A prospective case series. *Physiotherapy Theory and Practice*. 29(8): 586-595.
- Hetherington B. (1996). Lateral ligament strains of the ankle, do they exist? *Manual Therapy*. 1(5): 274-275.
- Hubbard T, Hertel J. (2008). Anterior positional fault of the fibula after sub-acute lateral ankle sprains. *Manual Therapy*. 13(1): 63-67.
- Hubbard T, Hertel J, Sherbondy P. (2006). Fibular position in individuals with self-reported chronic ankle instability. *Journal of Orthopaedic and Sports Physical Therapy*. 36(1): 3-9.
- Hudson R, Baker R, May J, Reordan D, Nasypany A. (2017). Novel treatment of lateral ankle sprains using the Mulligan concept: an exploratory case series analysis. *Journal of Manual and Manipulative Therapy*. 25(5): 251-259.
- Hudson R, Richmond A, Sanchez B, Stevenson V, Baker R, May J, Nasypany A, Reordan D. (2016). An alternative approach to the treatment of meniscal pathologies: a case series analysis of the Mulligan Concept "Squeeze" technique. *International Journal of Sports Physical Therapy*. 11(4): 564-574.
- Kavanagh J. (1999). Is there a positional fault at the inferior tibiofibular joint in patients with acute or chronic ankle sprains compared to normals? *Manual Therapy*. 4(1): 19-24.

Kobayashi T, Suzuki E, Yamazaki N, Suzukawa M, Akaike A, Shimizu K, Gamada K. (2014). Fibular malalignment in individuals with chronic ankle instability. *Journal of Orthopaedics and Sports Physical Therapy*. 44(1): 872-878.

Krzyzanowicz R, Baker R, Nasypany A, Gargano F, Seegmiller J. (2015). Patient outcomes utilizing the selective functional movement assessment and Mulligan Mobilizations with Movement on recreational dancers with sacroiliac joint pain: a cadaver series. *Human Kinetics – International Journal of Athletic Therapy & Training*. 20(3): 31-37.

Syverson P, Dietz E, Matocha M, McMurray J, Baker R, Nasypany A, Reordan D, Paddock M. A Treatment-Based Classification Algorithm to Treat Achilles Tendinopathy: An Exploratory Case Series. *Journal of Sport Rehabilitation*. 26: 260 -268.

Takasaki H, Hall T, Jull G. (2013). Immediate and short-term effects of Mulligan's mobilization with movement on knee pain and disability associated with knee osteoarthritis – A prospective case series. *Physiotherapy Theory and Practice*. 29(2): 87-95.

Wilson E. (1997). Central facilitation and remote effects: treating both ends of the system. *Manual Therapy*. 2(2): 165-168.

Other peer reviewed articles (35):

Edmondston S, Singer K. (1997). Thoracic spine, anatomical and biomechanical considerations for manual therapy. *Manual Therapy*. 2(3): 132-143.

Exelby L. (2002). The Mulligan Concept: Its application in the management of spinal conditions. *Manual Therapy*. 7(2): 64-70.

Exelby L. (1996). Peripheral mobilisations with movement. *Manual Therapy*. 1(3): 118-126.

Exelby L. (1995). Mobilisation with movement: a personal view. *Physiotherapy*. 81(12): 724-729.

Hall T, Briffa K, Hopper D. (2008b). Clinical evaluation of cervicogenic headache. *Journal of Manual and Manipulative Therapy*. 16(2): 73-80

Hearn A, Rivett D. (2002). Cervical SNAGs: a biomechanical analysis. *Manual Therapy*. 7(2): 71-79.

Johnson J. (1997). Mobilisation with movement: an adjunct to traditional treatment of lateral epicondylitis. *Journal of Sports Physiotherapy*. 1(25): 76.

Konstantinou K, Foster N, Rushton A, Baxter D. (2002). The use and reported effects of mobilization with movement techniques in low back pain management; a cross-sectional descriptive survey of physiotherapists. *Manual Therapy*. 7(4): 206-214.

Lee M, Steven G, Crosbie J, Higgs R. (1996). Towards a theory of lumbar mobilisation - the relationship between applied manual force and movements of the spine. *Manual Therapy*. 1(2): 67-75.

Mann T. (2001). Causes of complications from cervical spine manipulation. *Physiotherapy*. 47: 255-266.

McDowell J, Johnson G, Hetherington B. (2014). Mulligan Concept manual therapy: Standardizing annotation. *Manual Therapy*. 19(5): 499-503.

Michel P. (2000). Total glenohumeral joint replacement: totally different situation. *Manual Therapy*. 5(2): 108-112.

Miller J. (2006). The Mulligan concept – How: Clinical application, When: Clinical reasoning, Why: Clinical research. *Canadian Physiotherapy Association Orthopaedic Division Review*. March/April: 50-55.

Miller J. (2000). Mulligan concept – management of tennis elbow. *Canadian Physiotherapy Association Orthopaedic Division Review*. May/June: 45-46.

- Miller J. (1999). The Mulligan Concept – the next step in the evolution of manual therapy. *Canadian Physiotherapy Association Orthopaedic Division Review*. May/June: 9-13.
- Mulligan B. (2003). The painful dysfunctional shoulder. A new treatment approach using 'Mobilisation with Movement'. *The New Zealand Journal of Physiotherapy*. 31(3): 140-142.
- Mulligan B. (1997). Update on spinal mobilisations with leg movement. *Journal of Manual and Manipulative Therapy*. 5(4): 184-187.
- Mulligan B. (1996). Mobilisation with movement for the hip joint to restore internal rotation and flexion. *Journal of Manual and Manipulative Therapy*. 4(1): 35-36.
- Mulligan B. (1995). Spinal mobilisation with leg movement (further mobilisation with movement). *Journal of Manual and Manipulative Therapy*. 3(1): 25-27.
- Mulligan B. (1994). Spinal mobilisation with arm movement (further mobilisation with movement). *Journal of Manual and Manipulative Therapy*. 2(2): 75-77.
- Mulligan B. (1993). Mobilisation with movement. *Journal of Manual and Manipulative Therapy*. 1(4): 154-156.
- Mulligan B. (1992). Extremity joint mobilisations combined with movement. *New Zealand Journal of Physiotherapy*, April 1992: 28-29.
- Mulligan B. (1989). Pain release phenomenon techniques – PRPs. *New Zealand Journal of Physiotherapy*, April 1989.
- Mulligan B. (1982). NAGS – Modified mobilisation techniques for the cervical and upper thoracic spines. *New Zealand Journal of Physiotherapy*, August 1982.
- Mulligan B. (1974). The painful stiff shoulder. *New Zealand Journal of Physiotherapy*, 4(7).
- Mulligan B. (1957). The acute wryneck. *New Zealand Journal of Physiotherapy*. May 1957.
- Ogince M. (2003). Sensitivity and specificity of the flexion rotation test. (Abstract). *Cephalalgia*. 23(7): 678.
- Reid S, Callister R, Snodgrass S, Katekar M, Rivett D. (2015). Manual therapy for cervicogenic dizziness: Long-term outcomes of a randomised trial. *Manual Therapy*. 20(1): 148-156.
- Rivett D, Milburn P, Chapple C. (1998). Negative pre-manipulative vertebral artery testing despite complete occlusion: a case of false negativity? *Manual Therapy*. 3(2): 102-107.
- Rivett D. (1997). Preventing neurovascular complications of cervical spine manipulation. *Physical Therapy Review*. 2: 29-37.
- Stevens G. (1995). Lateral epicondylitis. *Journal of Manual and Manipulative Therapy*. 3(2): 50-58.
- Vicenzino B, Cleland J, Bisset L. (2007a). Joint manipulation in the management of lateral epicondylalgia: a clinical commentary. *Journal of Manual and Manipulative Therapy*. 15(1): 50-56.
- Vicenzino B, Smith D, Cleland J, Bisset L. (2009). Development of a clinical prediction rule to identify initial responders to mobilisation with movement and exercise for lateral epicondylgia. *Manual Therapy*. 14(5): 550-554.
- Vicenzino B, Bisset L. (2007c). Physiotherapy for tennis elbow. *Evidence based medicine*. 12: 37-38.
- Vicenzino B. (2003). Lateral epicondylalgia: a musculoskeletal physiotherapy perspective. *Manual Therapy*. 8(2): 66-79.

Non-peer reviewed articles (12):

- Baker R, Nasypany A, Seegmiller J, Baker J. (2013). The Mulligan Concept: Mobilizations with Movement. *Human Kinetics – International Journal of Athletic Therapy & Training*. 18(1): 30-34.
- Hing W, Bigelow R, Bremner T. (2008a). Mulligan's mobilisation with movement: a review of the tenets and prescription of MWMs. *New Zealand Journal of Physiotherapy*. 36(3): 144-164.
- May J, Krzyzanowicz R, Nasypany A, Baker R, Seegmiller J. (2015). Mulligan Concept use and clinical profile from the perspective of American Certified Mulligan Practitioners. *Journal of Sports Rehabilitation*. 24: 337-341.
- Schrupp R. (2004). Honoring our 'Giants'. *Advance for Physical Therapists and PT Assistants*. 21: 61-63.
- Wilson E. (2001). The Mulligan concept: NAGS, SNAGS and mobilizations with movement. *Journal of Bodywork and Movement Therapies*. 5(2): 81-89.
- Wilson E. (1998). Case studies in functional anatomy and physiology. In *Touch*. 88: 4-8.
- Wilson E. (1998). The 1998 Olive Sands memorial lecture: Tenacious elbow, Lateral epicondylalgia. In *Touch* (Autumn 1998).
- Wilson E. (1997). SLR: what are we testing? In *Touch* (Summer 1997).
- Wilson E. (1996). Headaches and vertigo: a simple complex. In *Touch*. 6: 5-9.
- Wilson E. (1995). Mobilisations with movement and adverse neural tension: an exploration of possible links. *Manipulative Physiotherapist*. 27(1).
- Wilson E. (1994a). Mobilisation with movement: an update. In *Touch*. 73: 10-11.
- Wilson E. (1994b). Peripheral joint mobilisation with movement and its effects on adverse neural tension. *Journal of the Manipulative Association of Chartered Physiotherapists (UK)*. 2: 35-39.

International conference papers (selected) (6):

- Alonso-Blanco C. (2008). Muscle trigger point dry needling and Mulligan's mobilization with movement for the management of chronic lateral epicondylalgia: a case report (Poster). *Proceedings of the 9th Scientific Conference of IFOMT, Rotterdam, Holland*.
- Ruiz O. (2011). De Quervain's Disease: Successful symptom resolution using the principles of MWM. A case report. *Proceedings of the 2nd International Mulligan Conference, Porto, Portugal*.
- Dimitrova E. (2000). Effects of Mulligan's pain release phenomenon techniques in cases of achilles peritendonitis. *Proceedings of the 7th Scientific Conference of IFOMT, Perth, Western Australia*.
- Hing W. (2008b). The assessment of Mulligan's shoulder mobilisation with movement by diagnostic ultrasound. *Proceedings of the 9th Scientific Conference of IFOMT, Rotterdam, Holland*.
- Neto F. (2005). Immediate effects of hold-relax and Mulligan's traction straight leg raise techniques on hamstring flexibility (Poster). *Proceedings of The Spine - World Congress on Manual Therapy, Rome, Italy*.
- Rice C. (2009). The effectiveness of mobilisations with movement with and without an auto-mobilisation programme in chronic lateral epicondylgia: A single case study. *Proceedings of the 1st International Mulligan Concept Conference, Chicago, USA*.

Related books and book chapters (9):

- Bessler J, Beyerlein C. (2015). Elbow extension/flexion (chapter 6). In: Hing W, Hall T, Rivett D, Vicenzino B, Mulligan B. The Mulligan Concept of manual therapy – Textbook of techniques. Sydney: Elsevier.
- Hall T, Mulligan B. (2004). A chronic case of mechanic's elbow. In: Jones M & D. Rivett D (Eds.): Clinical reasoning for physical therapists. Edinburgh: Butterworth Heinemann.
- Hing W, Hall T, Rivett D, Vicenzino B, Mulligan B. (2015). The Mulligan Concept of manual therapy – Textbook of techniques. Sydney: Elsevier.
- Mulligan B. (2018). Manual Therapy - NAGS, SNAGS, MWMS etc. (7th ed.). Wellington: Plane View Services.
- Mulligan B. (2006). Self treatments for back, neck and limbs (2nd ed.). Wellington: Plane View Services.
- Mulligan B. (1994). Belt techniques. In: Grieve's Modern Manual Therapy (2nd ed.). Edinburgh: Churchill Livingstone.
- Mulligan B. (1994). SNAGS: Mobilisations of the spine with active movement. In: Grieve's Modern Manual Therapy (2nd ed.). Edinburgh: Churchill Livingstone.
- Vicenzino B, Hing W, Rivett D, Hall T. (2011). Mobilisation with Movement – The art and the science. Sydney: Elsevier.
- Wilson E. (2002). The Mulligan Concept: NAGs, SNAGs, MWMs, etc. In: Chaitow L (Ed.), Positional Release Techniques (2nd ed.). London: Churchill Livingstone.

German language papers and books (28):

- Bessler J., Beyerlein C. (2019). Manuelle Therapie nach Mulligan – Mobilisation with Movement. 2. Aufl. Stuttgart: Thieme.
- Bessler J, Beyerlein C. (2015). Mobilisation mit Bewegung – Das Mulligan-Konzept im Bereich der LWS. Physiopraxis.13(1): 26-30.
- Bessler J. (2013). Starker Griff – Hands-On: Mobilisation bei lateralem Ellenbogenschmerz. Physiopraxis. 11(4): 43-45.
- Bessler J. (2010). Fall für Vier: Handgelenkverletzung – Mulligan. Physiopraxis. 8(3): 34-35.
- Bessler J, Beyerlein C. (2009). Standfeste Therapie – Mobilisation des Fußes unter Belastung. Physiopraxis. 7(6): 30-33.
- Bessler J. (2009). Bedeutung des Konzepts in Gesundheitsförderung, Prävention und Rehabilitation. In: Beyerlein C (Ed.): Mulligan - Therapiekonzepte in der Physiotherapie. Stuttgart: Thieme.
- Bessler J, Beyerlein C. (2006). Der sichere Weg zur Diagnose - Untersuchung und Therapie des Iliosakralgelenks. Physiopraxis. 4(6): 20-24.
- Beyerlein, C. (2017) Mulligan-Konzept. Konzepte und Verfahren in der Physiotherapie In: Kloster C. Manual Physiotherapie. KVM - Der Medizinverlag. Berlin. 339-346
- Beyerlein, C. (2017) Mulligan. In: Aigner B, Klose C. Physiotherapietechniken von A - Z. Thieme-Verlag. Stuttgart. 235-240
- Beyerlein C. (2013). Handarbeit – Hands-On: Mobilisation des Handgelenks. Physiopraxis. 11(11-12): 46-49.
- Beyerlein C. (2012). Zurechtgerückt – Hands-On: Fibula-Mobilisation nach Supinationstrauma. Physiopraxis.10(1): 41-43.

- Beyerlein C (Ed.). (2009). Mulligan - Therapiekonzepte in der Physiotherapie. Stuttgart: Thieme.
- Beyerlein C. (2009). Fall für Vier: Kopfschmerz – Mulligan. *Physiopraxis*. 7(3): 29-30.
- Beyerlein C. (2007). Das Mulligan-Konzept. *pt_Zeitschrift für Physiotherapeuten*. 59(11): 1140-1142.
- Beyerlein, C. (2006). Das Mulligan-Konzept – ein Theoriemodell innerhalb der Manuellen Therapie. *Physiotherapie*. 24(5): 29-31.
- Bessler J, Beyerlein C. (2006). "Mobilisation with Movement": ein evidenzbasiertes Theoriemodell innerhalb der Manuellen Therapie (Poster). 3. Physiokongress. Aachen.
- Beyerlein C, Hall T, Hansson U, Odemark M, Sainsbury D. (2002). Effektivität der Mulligan-Straight-Leg-Raise-Traktionstechnik auf die Beweglichkeit bei Patienten mit Rückenschmerzen. *Manuelle Therapie*. 6(2): 61-68.
- Beyerlein C. (2002). Geschichte der spinalen Manipulation von Hippokrates bis heute. *Krankengymnastik – Zeitschrift für Physiotherapeuten*. 54(11): 1780-1784.
- Halil D. (2018). Manuelle Therapie nach Mulligan zur Verbesserung der Knieflexion nach Knieendoprothese. *Manuelle Therapie*. 22(1): 34-43 (7/10)
- Koller, F. (2005). Fortbildungsführer Mulligan-Konzept. Aktive und passive Mobilisation kombiniert. *Physiopraxis* 1(3): 36-38.
- Melcher M., Löhner F. (2014). Self-Sustained Natural Apophyseal Glide (SNAG)-Techniken zur Behandlung der craniomandibulären Dysfunktion. *Zeitschrift für Physiotherapeuten* 66(6): 87-89.
- Schäfer A, Hall T, Hardt L, Wallin L. (2005). Unmittelbare Effekte Mulligans Bent-leg-raise-Technik in einer Population mit Kreuzschmerzen. *Manuelle Therapie*. 9(4): 180-185. (7/10)
- Schöttker-Königer T. (1998). Das Mulligan-Konzept – MWMs. *Manuelle Therapie*. 2(2): 88-92.
- Schöttker-Königer T. (1997). Mobilisations with Movement – Ein neuer Ansatz in der Behandlung nach Supinationstraumen des oberen Sprunggelenkes. *Krankengymnastik*. 49(3): 386-394.
- Schwarz J. (2010). Bewegender Entertainer – Ein Tag mit Brian Mulligan (Interview). *Physiopraxis*. 8(11-12): 30-33.
- Seipel F. (2008). Fall für Vier: PHS – Mulligan. *Physiopraxis*. 6(7-8): 23-24.
- Stolz C. (2008). Mulligan. In: Ebel-Paprotny G, Preis R (Ed.): *Leitfaden Physiotherapie*. München: Urban und Fischer.
- Supp G. (2010). Überzeugend, unterhaltsam, hilfreich: A day with Brian Mulligan. *Manuelle Therapie*. 14(5): 225-226.

Additional references (*) (26):

- Bennell K, Talbot R, Wajswelner H, Techovanich W, Kelly D. (1998). Intra-rater and inter-rater reliability of a weight-bearing lunge measure of ankle dorsiflexion. *Australian Journal of Physiotherapy*. 44(3): 175-180.
- Brandt C, Sole G, Krause M, Nel M. (2007). An evidence-based review on the validity of the Kaltenborn rule as applied to the glenohumeral joint. *Manual Therapy*. 12(1): 3–11
- Butler D. (2000). *The sensitive nervous system*. Adelaide: Noigroup Publications.
- Fujii M, Suzuki D, Uchiyama E, Muraki T. (2010). Does distal tibiofibular joint mobilization decrease limitation of ankle dorsiflexion? *Manual Therapy*. 15(1): 117-121.
- Gutierrez Espinoza H, Pavez F, Guajardo C, Acosta M. (2015). Glenohumeral posterior mobilization versus conventional physiotherapy for primary adhesive capsulitis: a randomized clinical trial. *Medwave*. 15(8):e6267. (8/10)
- Hall T. (2011). Zervikogene Kopfschmerzen – mehr als nur „Nackenschmerzen“. *Physioscience*. 7(1): 20-27.
- Hengeveld E, Banks K. (2007). *Maitlands Manipulation der peripheren Gelenke (4th ed.)*. München: Urban & Fischer.
- Klässbo M, Harms-Ringdahl K, Larsson G. (2003). Examination of passive ROM and capsular patterns in the hip. *Physiotherapy Research International*. 8(1): 1-12.
- Laslett M. (2012). Differentierungs-/Provokationstests und Behandlung für das SIG. *Manuelle Therapie*. 16(1): 9-17.
- Lee D, Vleeming A. (2007). An integrated therapeutic approach to the treatment of pelvic pain. In: Vleeming A, et al.: *Movement, Stability & Lumbopelvic Pain (2nd ed.)*. Edinburgh: Churchill Livingstone.
- Lehman G. (2018). The role and value of symptom-modification approaches in musculoskeletal practice. *Journal of Orthopaedic & Sports Physical Therapy*. 48(6): 430-435.
- Maitland G, Hengeveld E, Banks K, English K. et. al. (2008). *Manipulation der Wirbelsäule (4th ed.)*. Heidelberg: Springer.
- McKenzie R, May S. (2003). *The Lumbar Spine: Mechanical Diagnosis and Therapy (1 + 2) (2nd ed.)*. Waikanae: Spinal Publications.
- Reid S, Rivett D. (2005). Manual therapy treatment of cervicogenic dizziness: A systematic review. *Manual Therapy*. 10(1): 4-13.
- Satpute K, Nalband S, Hall T. (2018). The C0-C2 axial rotation test: normal values, intra- and inter-rater reliability and correlation with the flexion rotation test in normal subjects. *Journal of Manual & Manipulative Therapy*. <https://doi.org/10.1080/10669817.2018.1533195>
- Satpute K, Hall T, Adanani A. (2018). Validity of an alternate hand behind back shoulder range of motion measurement in patients with shoulder pain and movement dysfunction. *Journal of Manipulative and Physiological Therapeutics*. 41(3): 242-251.
- Schmid A, Brunner F, Wright T, Bachmann L. (2008). Paradigm shift in Manual Therapy? Evidence for a central nervous system component in the response to passive cervical joint mobilisation. *Manual Therapy*. 13(5): 387-396.
- Schomacher J. (2010). Wirkung einer schmerzlindernden analgetischen Mobilisationstechnik bei Anwendung auf symptomatische oder asymptomatische HWS-Segmente bei Patienten mit Nackenschmerzen – Randomisierte, kontrollierte Studie. *Manuelle Therapie*. 14(2): 60-67.
- Shacklock M. (2005). *Clinical Neurodynamics*. Edinburgh: Butterworth Heinemann.
- Simondson D, Brock K, Cotton S. (2012). Reliability and smallest real difference of the ankle lunge test post ankle fracture. *Manual Therapy*. 17(1): 34-38.

Sluijs E, Kok G, van der Zee J. (1993). Correlates of exercise compliance in physical therapy. 73(11): 171-182.

Smith J, Lewis J, Prichard D. (2005). Physiotherapy exercise programmes: Are instructional exercise sheets effective? *Physiotherapy Theory and Practice*. 21(2): 93-102.

Vielitz A. (2012). Der Test der Tests: Wie sieht die Evidenz (der SIG-Tests) aus? *Manuelle Therapie*. 16(1): 18-24.

Vleeming A, Mooney V, Stoeckart R. (2007). *Movement, Stability & Lumbopelvic Pain* (2nd ed.). Edinburgh: Churchill Livingstone.

Von Piekartz H. (Ed.). (2015). *Kiefer, Gesichts- und Zervikalregion*. 2. Aufl. Stuttgart: Thieme.

Westerhuis P, Wiesner R. (2014). *Klinische Muster in der Manuellen Therapie*. 2. Aufl. Stuttgart: Thieme.

(Erstellt von Johannes Bessler, Feb. 2019)